
Engineering and re-engineering the cardiovascular system in order to prevent platelet aggregation triggering acute myocardial infarction and stroke

Thach Nguyen MD FACC FSCAI Methodist Hospital, Merrillville IN Joint Coronary Revascularization December 8th 2018, Busan Korea

• Engineering is the creative application of science, mathematical methods etc, to the understanding of the design, construction, operation of structures, machines, materials, devices, systems etc.

• Re-engineering is the application of technology and management science to the modification of existing systems, organizations, processes and products in order to make them more effective, efficient and responsive.






Reduction of Stroke in ISH

SHEP, 1991


Syst-EUR, 1997 Syst-China, 1998


Chlothalidone Nitrendipine Nitrendipine

HYVET, 2008 Indapamide




Incidence of MI Stratified by Diastolic Blood Pressure in the INVEST Study






J VAsc SURG 1995;21:135-45



First Question in Re-engineering

• Between HTN and Hyperlipidemia, which one is the stronger risk factor for CAD?

- a. HTN and no hyperlipidemia
- b. Hyperlipidemia and no HTN




http://www.vasculardiseasemanagement.com/content/radial -access-pci-children-obstructive-coronary-artery-disease



2nd Question in Re-engineering


Do we need to prevent rupture of the plaque and platelet aggregation in this 50% eccentric lesion?





Concentric lesion:50% and 75%


- Eccentric lesion:
- 75%



https://www.michael-smith-engineers.co.uk/resources/useful-info/suctionpipeline-design

How To Review the Image

Right click and use the Key Image option so each frame can be selected at a time. 15 frames per second







Separation point Stream line







• 60 year young woman





Persisting stain in the outer wall means area with high pressure where the bubbles would collapse





• Antiplatelet therapy is indicated for 50% and 75% concentric lesion and 75% eccentric lesion:



3rd Question in Re-engineering What causes the lesion mid RCA? How to prevent it?



Which kind of proximal flow causes the lesion mid RCA?



Frame 22 and 23




Frame 24, 25 and 26







Effects of Betabloker:
Is BB an antiplatelet agent?



Reproduced from Sanz J et al. (2007)31)


Fig. 7. Aortic pressure curves under various conditions.

Curve (a), the administration of a vasodilator agent such as nitroprusside; curve (b), the baseline state; curve (c), β -blockade administration.



Difference between passive and active cavitation Passive barrier Passive Cavitation Flow Vibrator **Power Cavitation** Compression effects due to vibrator action


What is the difference in the mechanism of formation of plaque in the proximal segment vs distal segment?




Why did the lesions happen here? We analyze the flow proximal to the lesion








HTN versus Hyperlipidemia



https://www.michael-smith-engineers.co.uk/resources/useful-info/suctionpipeline-design

BB is an antiplatelet agent



Reproduced from Sanz J et al. (2007)31)

Fig. 7. Aortic pressure curves under various conditions.

Curve (a), the administration of a vasodilator agent such as nitroprusside; curve (b), the baseline state; curve (c), β-blockade administration.



Difference between passive and active cavitation Passive barrier Passive Cavitation Flow Vibrator **Power Cavitation** Compression effects due to vibrator action

Thank You

